

## **BIDDER QUALIFICATION CRITERIA (BQC) FOR PROCUREMENT OF CO2 FLOODING CYLINDER**

No.	Criteria	Supporting Documents (scanned copies)
1	Bidder should be manufacturer/OEM or OEM Authorized trader/dealer/distributor for supply of CO2 Flooding Cylinder	Declaration of being manufacturer/OEM on letter head Or Copy of Authorization letter from Manufacturer to trader/dealer/distributor duly signed by the respective authorized manufacturer/OEM executives.
2	Bidder shall provide valid approvals of PESO (Petroleum and Explosives Safety Organization) in the name of OEM/manufacturer.	Bidder shall furnish a copy of valid PESO (Petroleum and Explosives Safety Organization) approval for manufacturing of high-pressure CO2 flooding cylinder in the name of OEM/manufacturer.
3	<p>Bidder shall have supplied minimum quantity as mentioned below of 68 Water Litre or above capacity Co2 Flooding Cylinder in last 7 years reckoned from the tender publish month.</p> <p>Single Purchase Order for supply of 6 nos. of Co2 Flooding Cylinders <b>OR</b> Two Purchase Orders for supply of 4 nos. of Co2 Flooding Cylinders (each) <b>OR</b> Three Purchase Orders for supply of 3 nos. of Co2 Flooding Cylinders (each)</p>	<ul style="list-style-type: none"> <li>• <b>Bidders not associated with GGL</b> shall submit the Work Orders/Contract for fulfilment of the criteria specified herein and shall submit the corresponding satisfactory Work Completion Certificate/ Inspection Release Note/Tax invoice with work completion evidence issued by client as documentary evidence towards adherence to the criteria specified herein.</li> <li>• <b>Bidders associated with GGL</b> (existing and previously) shall submit the Work order/Contract for fulfilment of the criteria specified herein.</li> </ul>

### **BQC Notes (Most Important):**

1. Bidder shall submit all qualification documents (preferably colour scan copy) as mentioned above on N-procure. No additional documents in the physical form shall be considered.
2. All qualification documents as mentioned above falls under rejection category and non-submission of any of the requisite documents shall make the bid liable for rejection summarily.
3. For Bidder associated with GGL, Documentary evidence for work completion (i.e. Invoice / Inspection Release Note / Completion Certificate / Performance Certificate) against Gujarat Gas Limited Purchaser Order/ Work order/ contract is not required. However, the same will be verified by GGL internally and Technical evaluation will be carried out by GGL as per criteria considering submitted PO/work order

Checklist for Bid Qualification Criteria (BQC)			Document	Submission
<b>Failure to submit any document listed here will lead to disqualification</b>				
Sr. No.	Mandatory Documents required against BQC Criteria			Document Submitted (YES/NO)
1	<b>If Bidder is Manufacturer/OEM of CO2 Flooding Cylinder then submit</b> Bidder's Self-Declaration on letter head as manufacturer/OEM of CO2 Flooding Cylinder with details			
2	<b>If Bidder is Authorized Dealer or Distributor or Trader for CO2 Flooding Cylinder then submit</b> Copy of Authorization letter from Manufacturer/OEM duly signed by the respective authorized manufacturer executives.			
3	<b>Testing and certification requirements:</b> Bidder shall furnish a copy of valid PESO (Petroleum and Explosives Safety Organization) approval for manufacturing of high-pressure CO2 flooding cylinder in the name of OEM/manufacturer.			
4	<b>Bidders not associated with GGL:</b> Bidder shall provide minimum quantity as mentioned below of 68 Water Litre or above capacity Co2 Flooding Cylinder: Single Purchase Order for supply of 6 nos. of Co2 Flooding Cylinder <b>OR</b> Two Purchase Order for supply of 4 nos. of Co2 Flooding Cylinder (each) <b>OR</b> Three Purchase Order for supply of 3 nos. of Co2 Flooding Cylinder (each)			
5	<b>Bidders not associated with GGL:</b> Bidder shall provide Work Completion Certificate/ Inspection Release Note/Tax invoice with work completion evidence issued by client, for each of the above submitted Purchase orders / Work Orders			
6	<b>Bidders associated with GGL:</b> Bidder shall provide minimum quantity as mentioned below of 68 Water Litre or above capacity Co2 Flooding Cylinder: Single Purchase Order for supply of 6 nos. of Co2 Flooding Cylinder <b>OR</b> Two Purchase Order for supply of 4 nos. of Co2 Flooding Cylinder (each) <b>OR</b> Three Purchase Order for supply of 3 nos. of Co2 Flooding Cylinder (each)			