

Scope of Work & Technical Specification

for

Information Technology - Digital File Storage solution

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 1 of 22

Table of Contents

1	Company Overview.....	3
2	Current Digital File Storage Achitecture	4
3	Digital File storage solution specifications.....	5
3.1	Hardware Requirements.....	5
3.2	Solution Features / Requirements	6
3.3	Other requirement.....	8
3.4	Solution Design Document	8
4	Project/Implementation scope.....	9
4.1	Design and architect the solution	9
4.1.1	Project management.....	9
4.1.2	Support Model for post go-live support during Warranty support and AMC period.....	9
4.1.3	Support Mechanism	10
4.1.4	Onsite engineer for post go-live support.....	11
5	Other Terms and Conditions	12
5.1	Payment Terms	12
5.2	Penalty Terms.....	12
5.3	Delivery Schedule	13
5.4	Defect Liability: Applicable.....	13
6	Annexure-I (Digital File Storage Soution at GA /BRANCH Office)	14
7	Annexure-II (Central Storage at Datacentre)	15
8	Annexure-III (Technical Features Compliance for solution).....	16
9	Annexure –IV Storage solution to be deployed at following locations	17
10	Annexure-IV Buy back Digital File storage list	18
11	QHSE Requiremnts.....	19

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 2 of 22

1 Company Overview

Gujarat Gas Limited (GGL) is India's largest City Gas Distribution (CGD) player, with 27 CGD licenses spread across 43 districts in 6 states and 1 Union territory in the states of Gujarat, Maharashtra, Rajasthan, Haryana, Punjab and Madhya Pradesh and Union Territory of Dadra & Nagar Haveli.

GGL continues to hold the leadership position in CGD industry in terms of size and scale of operation, with more than 16 lakhs households, over 13,300 commercial customers, 584 CNG stations, close to 4,200 industrial units and over 31,300 kilometre of natural gas pipeline network. The Company currently continues to flow total gas volume close to 12 mmscmd.

GGL is committed to reach out to every possible natural gas user in its expanded GAs. The size and scale of the combined entity gives it the ability to achieve efficiencies and effectively manage the transformational changes in the sector. This major gain in productivity would benefit all the key stakeholders i.e. Customers and Shareholders.

GGL is recently awarded with Business Today's Best CEO Award 2020 in the Oil & Gas category and Business Standard STAR PSU Award 2020.

GGL is strategically aligned to energize India's natural gas vision

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 3 of 22

2 Current Digital File Storage Achitecture

GGL currently has 70+ business offices where users are connected to central datacentre system via MPLS cloud. There are 20 plus digital file storage file system deployed at GA locationsn and corporate offices used as file share system to store file. Symantec Netbackup with VNX 5400 Storage appliance & Disk based backup appliance used to backup the data & services at central datacenter .

Pictures are given for referance only & shouldn't consider as final acceptance point for proposal;




Figure 1 ; Current reference Architecture

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 4 of 22

3 Digital File storage solution specifications

3.1 Hardware Requirements

Specification-Minimum requirement

- Hardware shall be from single OEM for entire solution. Bidder may include different OEMs for software as per solution requirements.
- Maximum 4U Rack mount appliance/storage/device/Server/hyperconverged server at GA/Branch offices and Maximum 20U rack mount appliance/device/server at central Datacentre at Gandhinagar
- Server class Intel Xeon Processor / any other compatible processor at all locations
- Min 128 GB RAM
- Redundancy for Power supply, Hard Disk, Network / SAN level at Branch Offices
- Min. 10 GB NW Ethernet card
- Min. 300 GB or higher * 2 Disks with RAID 1+0 or equivalent for Basic/platform OS installation (OS should be installed in different partition / disk drives) or equivalent in case of HCI/SDS

Data partition at branch office storage shall be RAID 1+0 or RAID-5 or RAID-6 or RAID-DP or similar or equivalent in case of HCI/SDS

- All Flash / SSD disks shall be provided for data storage at branch offices locations
- All Flash / SSD disks shall be provided at Central Storage.
- Minimum usable HDD capacity requirement is mentioned in below table for user data storage

Category Type	Min HDD usable Capacity after RAID	HDD capacity Expandable upto or Higher	No of Locations
Category-I	Min 2TB	6 TB	12
Category-II	Min 4 TB	8 TB	8
Category-III	Min 6TB	10 TB	8
Central Storage Box (one or more hardware)	Min 80 TB or higher with WORM feature for file storage AND Min 80 TB or higher with Block Storage feature OEM can supply single storage / server / appliance / HCI server or storage box or or equivalent in case of HCI/SDS solution with 160 TB or higher usable storage capacity if both features (File Serving	160 TB for each, combined 320 TB or more	1

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 5 of 22

	with WORM capabilities and Block storage Access) are supported in single hardware box.		
--	--	--	--

- Redundancy for Power supply, Hard Disk, Network / SAN, Controller level at Central Storage or equivalent in case of HCI/SDS/Proposed Solution
- Latest windows server class Operating System or any customized Operating system shall be part of solution alongwith license as applicable.
- Required power cables, LAN cables and FC cables shall be provided with solution post site survey and design discussion of solution with GGL.
- If solution requires virtualization, then VMWare or Hyper-V or AHV shall be considered for virtualization and required licenses to be bundled with solution.
- All other accessories required to above hardware functional & management. (E.g. rack mount/slide kit, power cord, inter connect cable, screw, console cable, HW monitoring etc.) shall be included in solution.
- Installation & configuration of Remote offices/Branch Offices Solution shall be included in solution.
- Central storage (for block storage access) to be compatible with existing DELL servers, HP HCI server and all other servers available in industry.
- Solution provided shall not be going out of mainstream support for next 5-years. Vendor need to provide appropriate certificate for the same in technical bid.
- All required software licenses – i.e. operating system, virtualization, high-availability management, failover software, replication, deduplication, compression, file / folder permission management, file/folder monitoring tool, monitoring / administration tool for solution and other native and 3rd party software required, shall be bundled with solution in required quantities
- Data migration (old to new hardware) and replication to central storage effort shall be included as a part of solution implementation
- Central storage (port to connect servers)

Host Ports and Back-end Ports	Network ports & Speed: iSCSI-10Gbps/SFP+, Fiber-8Gbps & SAS-6Gbps or higher speed OR equivalent ports in case of HCI/SDS/Proposed Solution
-------------------------------	--

3.2 Solution Features / Requirements

Following shall be included as a part of solution:

- Real-time Data replication between DC and GA / Branch offices OR Replication frequency shall be configurable at location and central location
- Data Compression, encryption and deduplication features
- Solution should get integrated with active directory for access management, quota management, file extension restrictions etc.
- Central Reporting / administration tool required with following features using native or 3rd party software integration:
 1. Files monitoring and administration -i.e. File type wise, file date wise modification / access etc. reporting

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 6 of 22

2. Access Management monitoring and administration – i.e. user wise access to folders at multiple devices and solution level, removal of access / file / folder permission centrally
 3. identification and modification (Add/delete) userwise and department wise permission across all offices
- Solution should also support existing Anti-virus / EDR / XDR solution integration at GGL Providing software for End-point protection / EDR is out of scope in this case.
 - Data should be protected from Ransomware, virus , malware, trojan and other cyber-attacks by using WORM Feature at a central storage. Vendor can provide WORM enabled hardware at Branch office optionally.
 - Backup data shall be quick and easy to restore -.i.e. Time to Recover data (RTO) shall not exceed 24 hours at max for any given location.

Digital File storage solution Installation at GA / Branch offices / Central Site.

- Physical positioning and installation of procured Hardware Devices
- Rack mounting.
- Power On & Test the appliance/devices.
- Installation and Configuration of all features mentioned above.
- Install/configure devices Management Software / operation system / virtualization software / RAID configuration / all other required software.
- Antivirus / EDR software shall be installed as provided by GGL if requires installation in server device / storage / appliance.
- Connectivity with servers, switches and other required devices.
- Configure industry standard file sharing protocols.
- File share / Folder Level Quota management configuration.
- Configure Encryption, Compression, Deduplication features
- Integrate with AD Authentication, permissions
- Configure File Versioning with minimum 3 versions using native feature or snapshots or any alternate way
- Integrate and replicate all data real-time with Central Storage
- Configure all storage related features as per solution requirements
- Any other activity which is required to make device fully operational.
- Data should be protected from Ransomware, virus , malware, trojan and other cyber-attacks by using WORM Feature at a central storage. Vendor can provide WORM enabled hardware at Branch office optionally.
- Integration with existing backup solution (from Veritas Netbackup)
- Testing of entire setup with GGL team
- Supporting closure of all internal-external audit and VAPT points etc.
- Installation, integration, and commissioning of all the supplied hardware and software shall be done by the OEM Engineer at GGL Location.

Training to Gujarat Gas team.

- GGL will nominate a team of 3-5 members for training of the solution
- Solution training for configuration, monitoring, troubleshooting, call logging, customization shall be provided by vendor for all hardware and software provisioned in the solution to nominated team.
- Required training material / documents / User manuals shall be provided at least 2 days ahead of training.

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 7 of 22

- Onsite Training at GGL office shall be for at least 3-5 days.

3.3 Other requirement

- New solution should be able to keep track replication data if replication is not real-time(how much data is replicated to central master server and how much is left).
- Vendor / Bidder should ensure that there is zero data loss during data migration from existing DFS solution to new solution.
- Auditing features like when the file was deleted / who deleted it etc.
- If any location server goes down, user must be able to access the real time data from central server.
- OEM hardware support should be 24*7.
- The Digital File storage solution shall not be end of life within 7 years from date of purchase
- All current/ future Technical event hosted by OEM should be consider in this inquiry.
- Suggest & use of best practice for implementation

3.4 Solution Design Document

Configuration Documents

- Technical & solution specification document as per above mentioned architecture
- Best practices documents
- Any other available product specification and documents.

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 8 of 22

4 Project/Implementation scope

Project scope would comprise of following:

1. Provide end to end installation management
 - a. Delivery of materials : within 12 weeks from the date of award of PO.
 - b. Installation, Configuration of devices for all locations, data migration and go-live – within 16 weeks from the date of delivery of materials
 - c. Training to GGL team

All delivery, installation and configuration would take place at GGL locations mentioned above.

The scope includes following points / activities to be carried out by a vendor.

4.1 Design and architect the solution

- Design and Validate the Bill of Material
- Clearly state any other hardware/software to be procured from other parties to complete the solution

4.1.1 Project management

Following are some of the expectations

- Project Manager to act as single point of contact for all the installation activities
- Advance notification for dependencies with GGL and any other vendor required during installation / configuration
- All the Installation & configuration services have to be delivered by certified OEM engineers only
- Basic and advanced Level of trainings to GGL representatives for
 - Hardware setup and configuration
 - Software configuration
- Proper handover to GGL team and vendor operational team with complete documentation on configuration and setup
- Testing for all equipments (to check redundancy)
 - Test Plans with desired results

4.1.2 Support Model for post go-live support during Warranty support and AMC period

- Comprehensive parts, Labour & configuration warranty/support for 5 years for entire solution and AMC period

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 9 of 22

▪ Service Level Agreements:

Incident Category	Type of Incident	Response SLA at Central Site	Resolution SLA at Central Site	Response SLA at GA/ Branch office	Resolution SLA at GA/ Branch office
P1	<ul style="list-style-type: none"> Hardware failure Storage / Server not accessible Major OS / software glitch Ransomware / Virus attack Data corruption Issues with VIP users 	2 Hours (Working + Non-working)	12 Hours (Working + Non-working)	4 Hours (Working + Non-working)	24 Hours (Working + Non-working)
P2	<ul style="list-style-type: none"> Performance down Impact to group of users (>10 users) 	4 Hours (Working + Non-working)	24 Hours (Working + Non-working)	4 Hours (Working + Non-working)	24 Hours (Working)
P3	<ul style="list-style-type: none"> Minor issues impacting 1-2 users 	4 Hours (Working)	24 Hours (Working)	4 Hours (Working)	48 Hours (Working)

- for complete solution including all supplied hardware /software/3rd party solution/devices etc.
- Warranty start date shall be considered from the date of go-live sign-off by GGL. Go-live will be considered only if solution is operational at all GGL locations.
- Vendor shall have back-to-back OEM support for all hardware and software in the name of Gujarat Gas
- Gujarat Gas shall be able to access OEM website and shall be able to track support contract and log the ticket directly with OEM only if required
- All upgrades for firmware, operating system upgrades, software upgrade shall be provided by OEM / vendor at no additional cost.
- Support from certified engineers round the clock for any queries
- Faulty hardware replacement, Version upgrades, quick fixes and security patches to be made available to GGL at no extra cost. Firmware update shall be done with support from bidder team.
- The product to be supported by any nominated implementation partner supported by OEM.

4.1.3 Support Mechanism

- Centralized telephone number shall be provided to GGL as single point of contact for logging call.

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 10 of 22

- Vendor/Partner shall provide Escalation Matrix right up to the highest level of the organization
- Vendor must give ticket number for logged calls and mechanism to track and trace back all the history of earlier tickets.
- Vendor/Partner should have back to back support with OEM in case supplier/ service provider for the complete period of warranty
- Support for Troubleshooting and maintenance.
- Hardware related issues must be ensured on site till resolution of problem, all material delivery / pickup at GA / BRANCH Office will be vendor responsibility
- All Configuration supports and new requirements related to devices must be provided,
- All latest releases and updates should be available and updated without additional cost.

4.1.4 Onsite engineer for post go-live support

- Vendor shall provide on-site support at GGL office during post go-live phase for at least one week
- L2 / L3 level support engineer shall be stationed at GGL office for following
 1. Solution monitoring and trouble shooting
 2. Performance tuning if required
 3. Call logging
 4. Vendor / OEM engagement for support calls
 5. Knowledge transfer

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 11 of 22

5 Other Terms and Conditions

5.1 Payment Terms

Payment against the Invoice will be done within 30 days after the correct invoice is received and signed /agreed by contract owner as per General terms and conditions.

Invoicing frequency shall be as below:

- 80% of the total Solution Cost (Refer Sr. No. 1 of the SoR) – Upon delivery of material at all locations
- 20% of the total Solution Cost (Refer Sr. No. 1 of the SoR)- Upon go-live sign-off (i.e. Implementation of complete solution across GGL offices)
- AMC Support for 6th year - At the beginning of the 6th year and submission of required Bank Guarantee and invoice to GGL
- AMC Support for 7th year – At the beginning of the 7th year and submission of required Bank Guarantee and invoice to GGL

5.2 Penalty Terms

Sr No	Parameter	Delivery/ Implementation period	Penalty
1	Central storage Material delivery	12 weeks from PO date	Per week 0.25% of PO value not exceeding 2.5 % of PO value
2	Digital File storage material delivery	12 weeks from PO date	Per week 0.25% of PO value not exceeding 2.5 % of PO value
3	Central Storage Mounting/Installation with Data Migration of existing Storage as per GGL requirement	16 weeks from material delivery	Per week 0.25% of PO value not exceeding 2.5 % of PO value
4	Mounting/Installation with Data Migration of existing Storage, connectivity with central storage as per GGL requirement	16 weeks from material delivery	Per week 0.25% of PO value not exceeding 2.5% of PO value
5	Uptime SLA of 99% at branch offices and 99.9% for solution deployed at Central Data Centre to be measured at Quartely and submitted to GGL team during warranty support phase	Uptime SLA	0.05% of PO value for each SLA breach at individual location not exceeding 2.5% of PO value 0.25% of PO value for each SLA breach at central location not exceeding 2.5% of PO value

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 12 of 22

5.3 Delivery Schedule

- a. Material delivery 12 Weeks from the date of award of PO/Contract.
- b. Installation, Configuration of devices for all locations, data migration and go-live – within 16 weeks from the date of delivery

5.4 Defect Liability: Applicable

Defect Liability Applicable period shall be 90 days from go-live of solution

Approved

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 13 of 22

6 Annexure-I (Digital File Storage Soution at GA /BRANCH Office)

Sl.No	Parameter	Specifications of Digital File storage Storage at GGL Locations				Compliance (Y/N)
1	Converge / Storage	File Sharing Feature				
2	Capacity & Scalability	Category Type	Min HDD usable Capacity after RAID	HDD Capacity Expandable upto or Higher	No of Locations	
		Category-I	Min 2 TB	6 TB	12	
		Category-II	Min 4 TB	8 TB	8	
		Category-III	Min 6 TB	10 TB	8	
3	No Single point of Failure	Each component should have redundancy like dual power supply, RAID Hard disks and network or FC ports etc.or Equivalent in case HCI/SDS				
4	Raid Support & Virtualization	Data partition at branch office storage shall be RAID 1+0 or RAID-5 or RAID-6 or RAID-DP or similar. Should support Vmware ESXi 6.7 and above / Microsoft Hyper-V / Physical Servers/AHV				
5	Data Protection	Snapshot / Clones / Mirror & Replications at solution level.				
		Vendor can provide WORM enabled hardware at Branch office optionally.				
6	Host Ports and Back-end Ports	1 Gbps and above Network OR 8 Gbps and above FC Ports OR Equivalent in case HCI/SDS				

7 Annexure-II (Central Storage at Datacentre)

Sl.No	Parameter	Hardware Specifications of Central Storage at Datacentre	Compliance (Y/N)
1	Converge / Storage	SAN/NAS/CIFS/NFS protocols support as per requirement for 80 TB storage each or 160 TB storage (in case of single hardware)	
2	Operating System & Clustering Support	Native OS with clustering or equivalent protection for High Availability	
3	Capacity & Scalability	<p>Min 80 TB or higher with WORM feature for file storage with 160 TB scalability</p> <p>AND</p> <p>Min 80 TB or higher with Block Storage feature with 160 TB scalability</p> <p>160 TB usable with 320 TB scalability for combined box.</p> <p>OEM can supply single storage / server / appliance / HCI server or storage box with 160 TB or higher if both features (File Serving with WORM capabilities and Block storage Access) are supported in single hardware box.</p>	
4	Cache	256 GB or more	
5	No Single point of Failure	Each component should have redundancy like dual power supply, dual controllers, RAID Hard disks and redundant network / FC ports etc. or Equivalent in case HCI/SDS	
6	Disk Drive Support	All Flash / SSD disks shall be provided at Central Storage	
7	Raid Support & Virtualization	RAID 0 / 1 / 3 / 5 / 6 / 10 / DP/similar. Should support Vmware ESXi 6.7 and above / Microsoft Hyper-V/AHV	
8	Data Protection	<p>Snapshot / Clones / Mirror & Replications at solution level.</p> <p>Data should be protected from Ransomware, virus , malware, trojan and other cyber-attacks by using WORM Feature at a central storage.</p>	
9	Host Ports and Back-end Ports	Network ports & Speed: iSCSI-10Gbps, Fiber-8Gbps & SAS-6Gbps or higher speed or Equivalent 10gbps Base-T/SFP+ in case HCI/SDS	
10	Global Hot Spare	Minimum 2 or more Global Hot Spare configuration as per solution requirement or equivalent in case HCI/SDS	

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 15 of 22

8 Annexure-III (Technical Features Compliance for solution)

Sl.No	Feature	Technical Specifications / Requirement of Digital File storage Storage at GGL Locations	Compliance (Y/N)
1	Protocols	Digital File Storage Soution should have support for SMB – SMB v2 and v3 support, ensuring all vulnerabilities are taken care.	
2	Accessibility	Digital File Storage Soution should support MS Explorer Directory/Folder views	
3	Authentication	Digital File Storage Soution should Integrate with Active Directory for permission management	
4	Features	Digital File Storage Soution should have functionality to configure the below:	
		Auditing features like when the file was deleted / who deleted it etc	
		Data replication status report / tracking mechanism for replication success or failure if replication is not real-time	
		File share / Folder Level Quota management configuration	
		Recovery of deleted data from Digital File storage solution using versioning / snapshot / backup data or any other features	
		Auditing features such as last access / modified / deleted	
		Data Deduplication, Encryption, Compression	
		Configure all solution features as applicable	
		Restriction of file extensionwise	
		File Versioning with minimum 3 versions using native feature or snapshots or any alternate way	
		Solution should support reporting functionality for AD user wise / department wise / File extension wise / File and Folder Size wise using native or 3 rd party software	
		Data should be protected from Ransomware, virus , malware, trojan and other cyber-attacks by using WORM Feature at a central storage. Vendor can provide WORM enabled hardware at Branch office optionally.	

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 16 of 22

9 Annexure –IV Storage solution to be deployed at following locations

Sr. No.	Location-DFS Solution	Category Type	Approx Users	DFS Storage Capacity (TB)	B/w Last Mile (Mb)approx
1	AMRELI	Category-I	< 30	2	3
2	NAVSARI	Category-I	< 30	2	4
3	DAHOD	Category-I	< 30	2	3
4	BHUJ	Category-I	< 30	2	3
5	ABUROAD	Category-I	< 30	2	4
6	UJJAIN	Category-I	< 30	2	4
7	RATLAM	Category-I	< 30	2	4
8	GURDASPUR	Category-I	< 30	2	4
9	FATEHPUR/SIRSA/SRIMUKTSAR	Category-I	< 30	2	4
10	NARMADA	Category-I	< 30	2	4
11	SANAND	Category-I	< 30	2	3
12	DNH-SILVASSA	Category-I	< 30	2	3
13	THANE	Category-II	30-60	4	4
14	JAMNAGAR	Category-II	30-60	4	3
15	NADIAD	Category-II	30-60	4	3
16	AHMEDABAD-GSFC	Category-II	30-60	4	6
17	BHAVNAGAR	Category-II	30-60	4	6
18	VAPI	Category-II	30-60	4	8
19	AMRITSAR	Category-II	30-60	4	8
20	BHATINDA	Category-II	30-60	4	8
21	SURAT	Category-III	>100	6	80
22	ANKLESHWAR/BHARUCH	Category-III	>100	6	20
23	GANDHINAGAR SECTOR 5	Category-III	>100	6	22
24	AHMEDABAD-PARIMAL	Category-III	30-60	6	22
25	AHMEDABAD-AVDHESH	Category-III	>100	6	16
26	MORBI	Category-III	30-60	6	8
27	RAJKOT	Category-III	>100	6	8
28	SURENDRANAGAR/WADHWAN	Category-III	30-60	6	4
29	STT – DC – Gift City	Central Storage		80 TB X 2 OR 160 TB	80

10 Annexure-IV Buy back Digital File storage list

All buyback devices to be taken by bidder post data wiped off and disk degauss as part of this contract. Buy Back shall be on AS IS WHERE IS basis.

Sr No#	Server/ Devices Name	Location	Make	Model	Serial Number	Remarks
1	DFSTHANE	Thane	FUJITSU	RX1330 M3	YMDH005267	
2	DFSSURAT02	Surat02	FUJITSU	RX1330 M3	YMDH005261	
3	DFSAMRELI	Amreli	FUJITSU	RX1330 M3	YMDH005263	
4	DFSANKLESHWAR	Ankleshwar	FUJITSU	RX1330 M3	YMDH005262	
5	DFSSURAT	Surat	FUJITSU	RX1330 M3	YMDH005266	
6	DFSJAMNAGAR	Jamnagar	FUJITSU	RX1330 M3	YMDH005268	
7	DFSDAHOD	Dahod	FUJITSU	RX1330 M3	YMDH005260	
8	DFSGANDHINAGAR	Gandhinagar	FUJITSU	RX1330 M3	YMDH005264	
9	DFSHO	Parimal	FUJITSU	RX1330 M3	YMDH005265	
10	DFS 1 MGMT Console	Gift City	FUJITSU	RX1330 M3	YM3R005008	
11	DFS 2 MGMT Console	Gift City	FUJITSU	RX1330 M3	YM3R005007	
12	DFSABDHESH	Avdhesh	FUJITSU	RX1330 M3	YM3R005005	
13	DFSMORBI	Morbi	FUJITSU	RX1330 M3	YM3R004998	
14	DFSWADHWAN	Wadhwan	FUJITSU	RX1330 M3	YM3R005004	
15	DFSBHUJ	Bhuj	FUJITSU	RX1330 M3	YM3R005002	
16	DFSNADIAD	Nadiad	FUJITSU	RX1330 M3	YM3R005000	
17	DFSGSFC	GSFC	FUJITSU	RX1330 M3	YM3R004997	
18	DFSRAJKOT	Rajkot	FUJITSU	RX1330 M3	YM3R005003	
19	DFSVAPI	Vapi	FUJITSU	RX1330 M3	YM3R005001	
20	DFSNAVSARI	Navsari	FUJITSU	RX1330 M3	YM3R005006	
21	DFSBHAVNAGAR	Bhavnagar	FUJITSU	RX1330 M3	YM3R004999	
22	Central Storage	Gift City	EMC	VNX 5400	CKM00153500112	

11 QHSE Requirements

SCOPE AND APPLICATION

Contractor/Service providers are the key stake holder and an integral part of Gujarat Gas Ltd (GGL's) business. Contractors'/Service provider' Quality, Health, Safety and Environment (QHSE) performance reflects on the company's business performance and reputation. GGL has established QHSE Management Systems, Procedures & Guidelines to ensure compliance with GGL's QHSE requirements. These requirements apply to all jobs whilst conducting work for GGL including; Project, Construction, Operation & Maintenance, Field Operations and Services within any given contract or agreement.

The overall objective of QHSE management in contract/agreement is to improve the company and Contractor's/Service providers' QHSE performance in all aspects of activities. Active and on-going participation by both the GGL and Contractor/Service provider is essential to achieve this objective.

RESPONSIBILITIES

It is responsibility of GGL management and staffs to ensure that all Contractors/Service providers work under their direction & control are provided with relevant Integrated Management System (IMS) Policies, Procedures & Guidelines that describe the GGL requirements for undertaking work within the company. It is also the responsibility of Contractors/Service providers to ensure that their staff are informed of and comply with GGL's requirement whilst working for the company.

GGL HSE department provides advice and assistance on QHSE requirements across the complete spectrum of all work activities. Contract Owner (Department Head) and Contract Holder (Work in-charge) are responsible to ensure safe execution of work/service include the following:

1. Ensuring that the QHSE Policy, Procedures & Guidelines are known and understood by all contractors'/service providers' staff and work force
2. Monitoring, Inspecting & Auditing execution of work, activities to ensure adherence to the QHSE compliance requirements

The Contractors'/Service provider' will take the responsibility for implementation of GGL's QHSE Policy, Procedures, Guidelines and other requirements with the advice and support of the GGL's Contract Owner / Contract Holder and HSE representative.

Contractor/Service provider to ensure that all aspects relating to QHSE are adequately addressed and implemented in accordance with the GGL QHSE requirements and QHSE Management Plan, which shall include the management processes and activities to be implemented during the course of work with GGL.

Contractor/Service provider shall be responsible for ensuring that adequate HSE resources are put in place to enable satisfactory implementation of QHSE Management Plan.

This responsibility also applies to ensure the Health and Safety of the people are directly and indirectly engaged / involved whilst working or present at GGL's work area / sites.

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 19 of 22

EXECUTION

3. Contractor/Service provider is responsible to ensure the with GGL QHSE requirements. GGL overall QHSE performance is directly influenced by the contractors' performance.
4. Contractor/Service provider is responsible for QHSE compliance monitoring at site/work activities to ensure that work/activity is performed in a safe manner. Moreover, they are responsible for reporting of all incidents, Hazard and Near Miss that might happen during work/activity
5. Contractor/Service provider shall follow and comply with GGL "Work Permit" system During work execution and activities, GGL team will regularly monitor and evaluate the performance of the Contractor/Service provider to identify the shortfalls and weaknesses and assist to improve the overall performance including QHSE performance through CPAR process (as applicable)
6. We believe that everyone at GGL, Employees, Contractors, Service providers and Associates have the right to go home safely to their families.

QHSE Defaults and Penalties (As applicable)		
SN	Description	Penalty amount (will be decided by Contract Owner)
1	Lost Time Injury	Rs. 2500 / Instance
2	Non-compliance - HSE Engineer	Rs. 500 / instance
3	Un authorised work	Rs. 500 / instance
4	Work without PtW/WA	Rs. 500 / Instance
5	Non-compliance - Safety Training Card (STC)	Rs. 500 / instance
6	Non-compliance - Health Check up	Rs. 500 / instance
7	Non-compliance - PPEs	Rs. 500 / instance

Remark: Issuance of MEMO against HSE non-compliances including above mentioned defaults shall be decided by Contract Holder. Contract holder shall consider penalty for all defaults and levy maximum of amount applicable and not the sum of all penalties applicable in above table.

QHSE GUIDELINE (AS APPLICABLE) FOR ALL TYPE OF CONTRACTS

- Contractor/Service provider...
- a) Shall ensure that all staff/work force comply with the requirements of the GGL HSE Management System, QHSE policy, standard, procedures, guideline, plan & Life Savers at work site
- b) Shall ensure issuance of Identity Card to their team members
- c) Shall apply and obtain Permit to work (PtW/WA) before start of the work
- d) Shall arrange work related Personal Protective Equipment (PPEs) for their staff/work force and ensure proper use during the execution of job
- e) Shall carry out the work within the duty hours/office hours. No Work shall be carried out without permission of GGL's representative beyond the official duty hours unless otherwise agreed upon prior to start of work and recorded appropriately
- f) Shall ensure that all tools, tackles, appliances, machines, vehicles, instruments or other equipment are Fit for Purpose and maintained safe working condition at all times and are used only by authorized and competent persons

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 20 of 22

- g) Shall ensure that all the QHSE requirements are properly discussed for any sub-contracted activities with GGL. No such activity shall be performed without clearance from GGL management
- h) Shall ensure that all Hazards, Near miss, accident, incident, injuries are reported promptly to GGL. Action arises due to reported Hazards, Near miss, incident investigation; audit/inspection shall be closed out as per agreed timelines with site in-charge
- i) Shall deploy staff & work force trained, qualified and competent for the work and well aware of risks and mitigation action/s for the activities undertaken
- j) Shall make necessary arrangements for safe custody of equipment, materials in stores/warehouse and at site shall ensure safe transportation, storage and handling of materials to prevent any damage which may impair safe performance of the equipment / material etc

Shall initiate immediate actions to hospitalize injured person(s)

- k) Shall ensure an injury free, incident free workplace and protect people from harm caused by work activities
- l) Shall ensure use of seatbelts while driving four-wheeler and use of crash helmet for Two wheeler riders during job execution
- m) Shall ensure Lock out and Tag out (LOTO) after de-energizing and double check before starting any jobs. In case of conducting job for the purpose of fault finding & monitoring of voltage & current it is to be considered live working and all PPE'S to be worn to avoid exposure of flash arc current
- n) Shall take note that the use of open wires in sockets, use of wires with tape joints shall not be accepted at work site.
- o) Shall ensure proper collection, storage and disposal of solid / liquid waste as per GGL procedure and guideline
- p) Staff/work force shall not smoke or resort to misuse of drugs, medicines or alcohol while on duty
 - In case of any incident like fire, gas leakage etc. due to gross negligence of the Contractor's staff/work force, GGL reserves the right to impose penalty up to actual damage cost and or termination of work order depending upon the gravity of the situation.
 - Any breach of the QHSE requirements shall be deemed by the company to be a material breach of the terms & condition of the contract. GGL shall be entitled to take appropriate actions including instructing the contractor to (a) remedy the breach; (b) suspend the work or (c) terminate the contract.

All activities shall be carried out as per GGL's documented procedures and QHSE requirements; deviation from it shall be dealt with very strictly.

Contractor shall ensure that all tools, appliances, machines, vehicles or other equipment, are in safe working condition

- All activities shall be carried out as per GGL documented procedure and HSE requirement, and deviation from it shall be dealt with very strictly.

Information Technology - Digital File Storage Solution	GGL Proprietary Information	
	For Limited Distribution Only	Page 21 of 22